


# Aqua Fuzion

## Technical Specifications



	<b>Product Part Number</b>	PVH-X201
	<b>Installation Environment</b>	Indoor or outdoor
	<b>Material</b>	Poly Carbonate, SCH 40 PVC
	<b>Operating Temperature</b>	32-104°F (0-40°C)
	<b>Ambient Temperature</b>	218°F (103.33°C)
	<b>Dimensions</b>	Aqua Fuzion unit: 31" x 18" x 7" (HxWxD) [Pneuma] Oxygen Concentrator Unit: 22.6" x 10.5" x 26.8" (LxWxH)
	<b>Weight</b>	35 lbs. / 15.8 kg (Dry), 55 lbs. / 25.9 kg (Wet)
	<b>Approvals</b>	UL
	<b>Gas Type</b>	Oxygen and Ozone
	<b>Plumbing</b>	2 inch
	<b>Product Output</b>	Maximum inlet pressure of 10 psi and an ideal flow rate of 55-85 GPM. Maximum working pressure: 50psi
	<b>Concentrator Output / Voltage Supply</b>	[Pneuma 8] Oxygen Concentrator: 8 SCFH (4 LPM) @ 15 psi 120/220-240 VAC, 4.17 / 2.08A, 60 Hz; 1-Phase GFCI [Pneuma 10] Oxygen Concentrator: 10 SCFH (7 LPM) @ 18 psi 120/220-240 VAC, 5.83 / 2.92A, 60 Hz; 1-Phase GFCI